

T. 3, R. 3 W. 1st Mer.

Indian Boundary 205

197	197	195	195	195	196
6	5	4	3	2	1
219	217	216	216	215	215
7	8	9	10	11	12
213	212	212	211	210	210
18	17	16	15	14	13
220	220	222	222	221	221
19	20	21	22	23	24
206	206	207	208	208	209
30	29	28	27	26	25
224	224	226	225	228	228
31	32	33	34	35	36
199	199	199	198	198	197

not run

T. 4, R. 3 W. 1st Mer.

Meanders 250

Ind. Boundary 238

232	232	232	231	231
5	4	3	2	1
266	264	264	262	262
8	9	10	11	12
245	244	243	243	243
17	16	15	14	13
258	259	259	261	260
20	21	22	23	24
249	248	248	241	241
29	28	27	26	25
258	257	255	254	253
31	32	33	34	35
235	235	233	233	234

T. 4. R. 3 W. 1st Mer.Township No. 4 Range No. 3 West 1st Mer.
IndianaNorth Boundary of T. No. 4 R. No. 3 W.
West 1st mile West from the N. East corner

- 7.52 a Blue Ash 10 ins. dia
 11.23 East bank of Loughery's creek bears North, 3.60 lbs
 wide - from the point down a steep hill
 20.73 West bank of Loughery in high water
 27.96 a Sugar tree 24 ins. dia - in rich bottom
 41.76 East bank of Loughery's creek, here it bears
 S 56° E 3.70 lbs. wide
 52.84 a Buck 12 ins. dia
 55.00 East bank of Loughery's creek, runs N 40° E,
 3.50 links wide
 60.00 a gutter bears South, no water
 70.00 a water course 40 lbs. wide, bears South no water
 80.00 a point, from which a Buck 9 ins. dia. bears S 30° W
 52 lbs. dis. & a Sugar tree 4 ins. dia. bears N 30° E 47
 lbs. dis - This mile exceedingly broken, except
 a small bottom on the creek, timber Buck, Sugar
 tree, Hickory, Ash, Oak & but little under brush

West 2nd mile West

- 0.23 a Buck tree 9 ins. dia
 11.38 another 12 ins. dia. on the top of a ridge 16
 chains from the bottom
 31.27 a Sugar tree 8 ins. dia, the land continues broken
 46.25 a Water Course 20 lbs. wide, bears N. no water
 47.58 an Ash 8 ins. dia
 51.14 a Spanish Oak 36 ins. dia
 77.29 Intersected the line ran South from the corner
 of Sec. No. 22, 23, 26 & 27 Town 5 Range 3 -
 18 lbs. North of the measure - Here fixed a point
 from which a Dogwood 5 ins. dia. bears S 38° E
 34 lbs. dis. & a Sugar tree 5 N 27° W
 19 lbs. dis - This mile exceedingly broken, all

S. L. R. B. M. 1st Mer.

ridges & deep gutters, Timbered as the preceding mile — (Marked the trees by the plan)

West

3rd Mile West

- 6.25 a Beech 18 ins. dia
 14.87 a White Oak 48 ins. dia
 44.00 a Water course 10 lbs. wide bears S. no water
 58.75 a deep gutter bears S. no water
 65.12 a Black Oak 22.11 ins. dia
 80.00 a post on a ridge, from which a White Oak 16 ins. dia. bears S. 2 1/2 W 22 lbs. dis. & another 14 ins. dia. bears N 10 W 30 lbs. dis. This mile 3rd rate land, 1/4 of the line 2nd rate with fine timber, Beech, Sugar tree, Oak, Poplar, Gum with much underbrush and green briars

West

4th Mile West

- 18.50 a Water course 25 lbs. wide bears S. no water
 26.42 a Hickory 6 ins. dia. on a ridge rising from the water course
 35.28 a Beech 16 ins. dia. — on N. side of a ridge
 43.00 a deep gutter bears S. W. — no water
 49.00 a gutter bears S. no water
 59.50 a Water course bears S. 10 lbs. wide — no water
 62.49 a Beech 10 ins. dia.
 63.50 a Water course 12 lbs. wide bears S. no water
 68.57 a Poplar 34 ins. dia
 80.00 a Dogwood 3 ins. dia. corner of Sec. No. 4 & 5
 4th Township 3rd Range West — This mile much broken, all ridges & gutters, timbered as the preceding mile — Marked the trees by the plan

West

5th Mile West

- 8.77 a gutter
 14.75 a Black Walnut 24 ins. dia. on the S.E. side of a hill
 25.00 a Water course 50 lbs. wide bears S. between 2 hills, no water

- 28.00 a Beech 26 ins. dia North of a gutter
 30.75 a White Oak 18 ins. dia.
 43.67 a Sugar tree 8 " "
 45.00 Longberry creek 250 lbs. wide runs S. gentle current
 60.78 Intersected the Indian Boundary line, here fixed
 a post from which a Beech 30 ins. dia. bears N 18 E
 10 lbs. dia. & another 8 ins. dia. bears S 17 E W 39 lbs.
 dia. From the last post to the creek exceedingly broken
 high ridges & deep gullies, the land 3rd mile except
 from the creek, here a rich level bottom covered
 with Beech - marked the trees by the plow.
 From this post measured South on the Indian
 Boundary line to the 19th mile post 18 chains

- South Boundary of S. (No. 4 R. No. 3 W.
 East 1st Mile East from the corner of Sec. No. 4 & 5
 Town 3 Range 3 West of the Mer.
 2.98 a Hickory 26 ins. dia
 41.63 a gutter bears South into a little stream, that
 meanders on & near the line to 51.50 thence bears N. E.
 48.29 a Hickory 18 ins. dia
 56.26 a stream 6 lbs. wide, bears N. W
 62.86 a Spanish Oak 28 ins. dia
 80.00 a post corner of Sec. (No. 3 & 4 Town 3 - from
 which an Ash 8 ins. dia. bears N 68 W 39 lbs. dia.
 & a White Oak 40 " " " S 62 W 23 " "
 This mile 3rd mile land, a strong clay soil fit
 for the production of small grain, Timber
 generally Oak, Poplar Maple, Hickory, Beech,
 Ash, Linden of different kinds, much Beech,
 ash & Dogwood saplings & many green briars

- East 2nd Mile East
 7.66 a stream 8 lbs. wide bears N. W.
 27.97 a White Oak 36 ins. dia
 44.53 a " " 16 " "

S. 4 R. 3 W. 1st Mer.

- 63.70 a White Oak 16 ins. dia.
 78.9 Intersected the line ran North from corner of
 Sec. 10. W. 14 & 15 Town 3 - 27th N. South
 of the measure, established a post corner of Sec.
 No. 2 & 3 Town 3 Range 3 from which a White
 Oak 26 ins. dia. bears N 63^o W - & a Maple 6
 ins. dia. bears N 61^o E - This mile level clay
 land & quite, very wet, proper for meadow &
 pasture lands, but too wet for cultivation
 (Marked the trees by the plan).

East

3rd Mile East

- 4.55 a White Oak 20 ins. dia. on North of a stream
 5th N. wide bearing East. near the line
 14.20 a Spanish Oak 16 ins. dia.
 17.25 same stream as above mentioned 10th N. wide,
 bears N. East
 33.16 a White Oak 36 ins. dia.
 38.32 a stream 20th N. wide bears N. but little water,
 47.00 a Poplar 21 ins. dia. level land
 60.4 a Gum 18 " "
 77.00 a point between 2 water courses bears N. East
 (no water)
 88.00 a post corner of Sec. No. 1 & 2 Town 3 - from
 which a Hickory 14 ins. dia. bears North 21st N.
 & a Black Oak 15 ins. dia. bears N 3^o W 60th N. dia.
 (This mile has farming & meadow lands, in
 proportion - some few ridges, (but moderate),
 timber Oak, ash, aspen, Hickory, Poplar,
 Gum & many saplings & green briars

East

4th Mile East

- 35.75 a gutter bears South, little water
 39.77 a Maple 7 ins. dia. - level wet land
 41.32 a forked White Oak 28 ins. dia.
 64.76 a stream 10th N. wide bears N. E. little water

Q. 4 R. 3 W. 1st Mer.

This fraction much broken the soil & timber the same as the preceding mile - this post stands E. 80 North of the 13th mile post, from the mouth of the Kentucky River - Marked the tree by the plan.

East Boundary of Q. No. 4 R. (No. 3 W. South 1st Mile South from the North West corner of Q. 3 ~~W~~ Range 2 West,

28.80 a Buck 24 ins. dia

31.00 a deep water course 100 lbs. wide, no water, bears S.E.

46.13 a White Oak 16 ins. dia. on the East point of a high ridge

80.00 a post, from which a Walnut 5 ins. dia. bears S 29 E 4.3 lbs. dis. & a Hickory 9 ins. dia. bears N 15 3 W 25 lbs. dis. - This mile exceedingly broken, high ridges & deep gutters, land 3rd rate, timber Ash, Oak, Buck, Poplar, Elm, Sugar tree, Hickory, & much under brush, generally Spruce & birch

Nov. 22nd 1880.

South 2nd Mile South

3 25 a Water course 20 lbs. wide, no water, bears N.E.

14.90 a Black Walnut 7 ins. dia

15.00 a White Oak 24 ins. dia.

40.00 a Water course 10 lbs. wide, bears N.E. (no water)

61.50 a " " 18 " " " N.E. " "

65.00 a " " 10 " " " N.E. " "

80.00 a post, from which a Black Walnut 24 ins. dia. bears S 75 E 51 lbs. dis. & a Sugar tree 6 ins. " " N 60 W 12 lbs. dis. This mile all ridges & deep gutters, 3rd rate land, Timber Oak, Poplar, Sugar tree, some Buck, Walnut, Ash & Hickory. Marked the trees by the plan

South 3rd Mile South

- 20.00 a Water course 50 lbs. wide bears N.E. but little water
 39.00 The South fork of Aughury 400 lbs. to the S.
 side bears N.E. little water, gentle current
 52.60 an Ash 12 ins. dia
 60.00 a Sugar tree 9 ins. dia on the W. of a ridge
 80.00 a post, from which a Black Oak 16 ins. dia. bears
 N 74 W 20 lbs. dia. & a Hickory 7 ins. dia. bears
 S 87 E 25 lbs. dia. This mile uncommonly
 rough & broken with ridges & deep hollows, timber
 as the preceding - Land 3^d rate.

South 1st Mile South

- 10.14 a Blue Ash 12 ins. dia.
 34.53 a White Oak 30 ins. dia. on the South of a ridge
 37.00 a Water course 10 lbs. wide, no water bears South
 65.48 a White Oak 18 ins. dia, much green briars & brush
 80.00 a post, from which a Black Oak 14 ins. dia. bears
 N 33 1/4 E 8 lbs. dia. & a Black Walnut 7 ins. dia.
 bears S 50 W 13 lbs. dia. This mile exceedingly
 broken, soil & timber like the preceding mile

South 5th Mile South

- 1.75 a Water course 10 lbs. wide, no water, bears West
 5.56 a Black Walnut 13 ins. dia.
 17.50 a Water course 80 lbs. wide runs S.W. but little water
 35.81 a Double W. Oak 48 ins. dia
 80.00 a post from which a White Oak 10 ins. dia. bears
 N 79 E 18 lbs. dia. & a Hickory 6 ins. dia. bears West 17
 lbs. dia. This mile from the last post to the creek
 the same as the preceding, from thence White Oak
 land, pretty level & much covered with green briars

South 6th Mile South

- 29.72 a Black Oak 28 ins. dia
 43.45 a White " 28 " "
 60.60 a " " 38 " "

T. 4. R. 3 W. 1st Mer.

- 73.47 a White Oak tree 24 ins. dia.
 80.00 a Post corner of T. No. 2 & 3 of R. 2 & 3 & 4 of Range 3 W. in a Water course 7 Mts. wide, meandering South, no water, from which a W. Oak 28 ins. dia. bears S 65° W 48 Mts. dist & a Swamp W. Oak 8 " " " N 45° E 12 Mts. dist. This mile flat W. Oak land 3rd intertind. with some Poplar & maple. Mk. by the plan

Indian or W. Boundary of T. 4 R. 3 W. 1st Mer.
 Commenced at the 13th mile post on the Indian Boundary line which was run from the St. bank of the Ohio opposite the mouth of Kentucky river to Ft Recovery
 14th Mile

- 16.53 a Poplar tree 22 ins. dia.
 24.00 a Water course 12 Mts. wide, runs E.
 50.00 crossed a Water course 6 Mts. wide, descending E.
 80.00 a Post from which a Poplar 28 ins. dia. bears N 60° E 18 Mts. dist & a Beech 16 ins. dia. bears N 25° E 44 Mts. dist. Marked the Beech with M. 14. Over land gently rising & falling. timber Poplar, Oak, Sugar tree, Beech & dogwood

15th Mile

- 11.71 a White Gum 16 ins. dia
 42.00 a Water course descends S. E. 6 Mts. wide
 56.02 a maple 20 ins. dia. level low meadow ground
 80.00 a Post from which a maple tree 10 ins. dia. bears N 60° E 12 Mts. dist & a W. Oak tree 28 ins. dia. bears N 80° W 44 Mts. dist. Over level clay land proper for grass & small grain, timber W. Oak, Beech, Elm, maple & Gum

16th Mile

- 9.90 a White Oak tree 14 ins. dia.
 31.10 a Poplar tree 12 " "
 77.11 a White Oak tree 20 " "
 80.00 a Post from which a Hickory tree 6 ins. dia. bears N 77° W 12 Mts. dist & a Poplar tree 10 ins. dia. bears

N 9 E 27 lbs. dis. Over good farming land, Poplar,
Black Oak, Hickory & Buck timber

17th Mile

- 15.00 a Water course descends N. E. 10 lbs. wide
40.90 a W. Oak 15 ins. dia. on the S. bank of a creek,
50 lbs. wide, runs S. E. high (hills each side).
52.00 Rose a hill bearing N. W. & begins to descend N. E. side of a hill
57.00 a Water course descends N. W. E
59.26 a Hickory tree 12 ins. dia
68.00 a Water course descends East
70.00 a White Oak tree 18 ins. dia.
74.00 a Water course descends E. steep precipitous each side
80.00 a post from which a White Oak 8 ins. dia. bears
N 73 E 17 lbs. dis. & a Hickory 8 ins. dia. bears N 41 W
27 lbs. dis. Land generally broken with hills, soil of
middling quality, timber W. B. Oak, Hickory, Buck &c.

18th Mile

- 5.00 on the ridge & begin to descend West
15.75 a Buck 22 ins. dia. ascending a hill
20.00 a Stream 10 lbs. wide, runs E.
27.50 Crossed a Water course descends S. E.
35.00 Rose a steep hill & begin to descend
43.00 a Water course descends N. E. 20 lbs. wide, begin
to ascend a hill
51.51 a W. Oak tree 18 ins. dia.
56.00 a Water course descends West
65.00 a W. Oak tree 28 ins. dia.
70.00 Rose a hill
80.00 a post from which a Beech 18 ins. dia. bears
N 41 W & a Beech 18 ins. dia. bears N 62 W 26 lbs. dis.
Over land much broken with hills, soil of middling
quality timber Beech White & Black, Oak, Hickory
some Poplar & Dogwood —

S. 4 R. 3 W. 1st Mer19th Mile

- 9.00 a Water course descends N¹⁰ E
 15.50 crossed a Water course 12 hrs. wide, descends E.
 19.00 a Hickory 22 ins. dia.
 23.00 Begin to descend a steep stony hill
 32.00 a creek 200 hrs. wide runs N⁶⁰ E
 34.00 Enter a bottom
 47.05 a Duck tree 22 ins. dia.
 60.28 a Sugar tree 20
 65.00 The last named creek runs S¹⁰ W
 80.00 a post from which a Sycamore 30 ins. dia.
 bears S⁶⁰ E 12 hrs. dis. & a Sugar tree 10
 " S⁷⁵ W 15 hrs. dis. Over steep hills & ridges

Subdivisions into 1/2 mile blocks

South Between Sec. No. 4 & 5

- 6.50 the summit of a high poor ridge
 9.86 Two sugar trees the one 8 the other 5 ins. dia.
 14.9 a Hickory 9 ins. dia. South of a ridge
 16.00 North bank of Longberry runs E. gentle current
 21.00 South an Island in the middle
 26.77 a Duck tree 5 ins. dia.
 44.50 North Bank of Longberry runs S¹⁰ W. gentle current
 53.57 South a rapid below the
 fine & water sufficient for a mill
 76.27 a Hickory 10 ins. dia. — in a rich bottom
 80.00 a post from which a Duck 8 ins. dia. bears
 S⁷⁵ E 25 hrs. dis. & an ash 8
 S²⁵ W 39 hrs. dis. This mile from 14.9
 1st rate land, covered with large Buck & with
 a great number of Sugar trees, ash, Poplar,
 Walnut &c of the largest kind. but little under
 brush, these bottoms very level & well adapted
 to the cultivation of small grain

South Between Sec. No. 8 & 9

D. R. 3rd Mt. 1st Mer.

- 5.73 a Buck tree 28 ins. dia.
 14.25 a " " 16 " "
 28.50 a Buckeye tree 26 ins. dia.
 34.50 a Blue Ash 28 " "
 45.75 North Bank of Loughery's creek runs East
 gentle current 3.25 lbs. wide
 54.00 Top of a ridge
 61.96 a Lym tree 15 ins. dia.
 67.10 a Buckeye 10 " " in a water course

West Between Sec. (No. 24 & 25)

- 7.54 a Spanish Oak from the foot descending
 on south of a hill
 10.73 South Branch of Loughery's creek 100 lbs. wide
 bears N. a rapid stream
 12.96 a Stream 50 lbs. wide bears N.E.
 43.40 a W. Oak tree 26 ins. dia.
 53.9 a Hickory tree 18 " "
 74.43 a W. Oak tree 48 " "
 80.00 a foot corner of Sec. (No. 23, 24, 25 & 26) from
 which a White Oak 20 ins. dia. bears N.W. 50 lbs.
 dia. & a White Oak 26 " " " N.E. 70 lbs. dia.
 This mile for the 1st is broken, from thence to
 the foot a large ridge, Timber generally Oak.
 Poplar, Hickory, but little under brush except
 green briars

West Between Sec. (No. 23 & 26)

- 7.50 a White Oak tree 44 ins. dia.
 14.86 a Stream 15 lbs. wide bears N. but little water
 26.62 a Hickory 22 ins. dia. on a ridge
 42.50 a Stream 12 lbs. wide bears N. but little water
 80.00 a foot, this mile, much broken, timbered as
 the preceding covered with green briars

February 16th 1881.

S. 4 R. 3 M. 1st Mer.

South Between Sec. (No. 283

- 6.73 a White Oak 9 ins. dia.
 9.25 a deep gutter bears E. no water
 18.30 a White Oak 13 ins. dia.
 22.50 a deep gutter bears E. no water
 29.40 a White Oak 16 ins. dia.
 34.00 top of a ridge descending to the creek & very steep
 38.16 a Black Oak 36 ins. dia.
 43.00 north bank of Longherry creek runs S 22 E
 500 yds. wide, abundance of fine building stems here
 51.76 a White Oak 9 ins. dia. on the south bank, in
 a large level bottom
 53.80 a Buck 30 ins. dia.
 77.00 a Water course 15 yds. wide bears E. no water
 80.00 a spot from which a Buck 24 ins. dia. bears
 N 74 W 54 yds. dia. & another 8 ins. dia. bears N 87 E
 33 yds. dia. — This mile to the creek exceedingly
 broken & rate land. from thence to this spot a
 level rich bottom covered with Buck, Sugar tree,
 Ash, Poplar, no brush

South Between Sec. (No. 10 & 11

- 3.90 a Buck 8 ins. dia.
 6.77 a Water course crossed it three times close together
 bears E. no water
 21.83 a Blue Ash 36 ins. dia.
 28.50 began to ascend a hill, a Water course 50 yds.
 wide East of the line
 39.50 top of a ridge covered with under brush
 54.63 a White Oak 10 ins. dia.
 70.00 a deep gutter bears West
 72.25 a Water course 20 yds. wide, no water bears W.
 80.00 a spot, 3 yds. North of a Buck — This mile
 from the bottom at 28.50, very much broken
 & covered with under brush & green briars, the
 bottom is rich land & well timbered

West. Between Sec. (No. 12 & 13

- 8.50 a White Oak 28 ins. dia
 38.57 a gutter bears South
 48.13 a White Oak 20 ins. dia
 80.00 a Hickory corner of Sec. (No. 11, 12, 13 & 14,
 3 ins. dia marked with a notch on each side
 This mile for the 1st is much broken, from
 thence to the end level wet land 3^d rate, too
 wet for cultivation, extra meadow or pasture
 land. Timber generally White Oak, Maple,
 Hickory, some Birch & Sugar tree - under brush
 Sassafras, Oak, Hickory & Dogwood - exceedingly
 covered with green briars

West. Between Sec. (No. 11 & 14

- 16.50 a gutter bears North but little water
 21.50 a " " N.E. " " "
 38.50 a White Oak 18 ins. dia, level land
 45.44 a White Oak 32 ins. dia.
 71.00 Intersected the line from South from corner of
 Sec. (No. 2 & 3 Town 4 R. 3 - 7.45 hrs. North
 of the measure - Here fixed a post corner of Sec.
 (No. 10, 11, 14 & 15 - from which a Hickory 12 ins.
 dia. bears N 46 W 48 hrs. dis, & a Do. 14 "
 " " 1496 26 hrs. dis. (this post stands on
 South side of a small stream 14 hrs. wide, bears
 West.) - This mile level wet land to near the
 post, then broken with ridges 3^d rate, Timber &
 under brush the same as the mile preceding.
 Marked the trees by the plan

West. Between Sec. No. 10 & 15

- 7.50 same stream as mentioned at the post
 17.82 an Elm tree 24 ins. dia
 30.00 a deep gutter bears North into the stream mentioned

S. 4 R. 3. W. 1. Mer.

- at the post 2.50 lrs. dis. still continued on N. side, has hills on each side like mountains
- 44.00 a Hickory 16 ins. dia. on top of a high ridge, or mountain
- 51.5 a stream 25 lrs. wide, runs N. very rapid, the land ascending from the Hickory, and very steep
- 59.30 Top of a hill rising from the stream
- 66.75 a stream 10 lrs. wide bears N. E. but little water
- 80.00 a post (on N. W. side of a large ridge) corner of Sec. (No. 9. 10. 15 & 16 from which a Hickory 9 ins. dia. bears S 57° W 30 lrs. dis. & a sugar tree 8 ins. dia. bears N 65° E 20 lrs. dis. —
- This mile good 3^d rate land, exceedingly broken, all high ridges, or mountains & deep gutters
 Timber Oak, Ash, Sugar tree, Walnut &c.
 Spice & green briars —

West Between Sec. (No. 9 & 16)

- 3.25 a deep gutter bears North, no water
- 6.50 north point of a ridge
- 13.64 a stream 10 lrs. wide bears N. E
- 27.10 a Hickory 14 ins. dia. — on a large ridge
- 46.00 a Buck (3 branches) 24 ins. dia. at the head of a gutter
- 71.64 a sugar tree 12 ins. dia. on E. bank of a creek that runs N. 100 lrs. end & very rapid. being now raised by snow & rain
- 75.75 Intersected the line ran south from corner of Sec. (No. 4 & 5 Town 4 Range 3 — 3.29 lrs. S. of the former measure (67 10) Here fixed a post corner of Sec. (No. 8. 9. 16 & 17 — from which an Elm 16 ins. dia. bears N 45° E 31 lrs. dis. & a Buck 13 " " " S 20° W 50 " "
- This mile the same as the preceding, soil, timber, under brush &c. The variation of these

clairs are owing to the measure being brought
from the line run South from the intersection
of the N. Boundary of Town 3 Range 2
Feb 7 17th 1801.

West Between Sec. (No. 8 & 17)

- 15.15 a Poplar 20 ins. dia. on S. of a gutter
61.80 a stream 15 Mrs. wide bears South, rapid current
68.63 a rapid stream 60 Mrs. wide, bears S. E.
76.9 a White Hickory 24 ins. dia.
78.50 Intersected the Indian boundary on South bank
of a stream before mentioned, fixed a post,
between, Sec. (No. 8 & 17) - from which a White
Oak 10 ins. dia. bears S 74 E 10 Mrs. dia. & a White
Walnut 5 " " " N 79 W 14 " "
(This fraction exceedingly broken), high ridges
& deep gutters, Timber Oak, Poplar, Ash, Sugar
- tree much Buck and Pines
Marked the trees by the plan

South Between Sec. (No. 16 & 17)

- 10.00 Bear creek runs N. East 100 Mrs. wide &
very rapid
20.19 a stream 40 Mrs. wide bears N. W.
42.26 a B. Oak 16 ins. dia on a high ridge
61.00 South Branch of Bear creek 50 Mrs. wide, bears
N. W. very rapid
80.00 a post on the N. W. side of a deep gutter,
corner of Sec. (No. 16. 17. 20 & 21) from which
a Lyrus 6 ins. dia. bears S 89 E 37 Mrs. dia. & an
Ash 15 ins. dia. bears S 55 W 6 Mrs. dia. This
mile mountainous & broken timber Ash,
Oak, Elm Sugar tree Walnut, Hickory &c.
Spruce & Green Pines

South Between Sec. (No. 20 & 21)

S. 4 R. 3 W. 1st Mer.

- 6.15 a White Oak 18 ins. dia. on N. side of a hill
 15.00 Top of a ridge rising from the post & very steep
 48.00 a Stream 5 fms. wide bears East
 48.71 a Hickory 11 ins. dia. on N. side of steep ridge
 69.94 a forked Buck 20 ins. dia. - level land
 80.00 a post, this mile 2nd rate land, exceedingly broken, timber & under brush the same as the preceding mile

South Between Sec. No. 14 & 15

- 2.65 a Sugar tree 8 ins. dia
 29.55 a Buck 13 ins. dia level land
 43.30 a Stream 5 fms. wide bears S. E
 59.57 a gutter bears S. E.
 68.75 a Stream 10 fms. wide bears E. (joined by one larger from the S. 400 fms. E. of the line)
 71.62 a White Oak 30 ins. dia. E. point of a ridge
 76.65 a gutter bears East
 80.00 a post corner of Sec. (No. 14, 15, 22 & 23) from which a White Oak 15 ins. dia. bears N 49° W 15 fms. dis. & a Buck 7 " " " S 40° E 15 " " This mile 3rd rate land, generally level, timber Buck, Oak, Poplar Sugar tree Hickory &c. no under brush but green briars -

South Between Sec. No. 22 & 23

- 1.44 a Black Walnut 14 ins. diam.
 18.56 a White Oak 30 ins. dia
 22.16 a Stream 10 fms. wide bears N. E.
 46.65 a White Oak 24 ins. dia
 68.31 a Buck 26 ins. dia. level Land. S. of a gutter
 75.73 Intersected the line ran West from corner of Sec. (No. 24 & 25) down 4 R. 3, 6.48 fms. East of the measure, here fixed a post, corner of Sec. No. 22, 23, 26 & 27, from which a Hickory

14 ins. dia. bears N 23 W 19 Mrs. dis. & a White Oak 26 ins. dia. bears S 14 E 81 Mrs. dis. This mile good 3rd rate land & level rather wet for farming timber generally Oak, Buck, Sugar tree, Hickory, Ash, Elm, Poplar &c. but little under brush, except green briars, (marked the trees by the plan)

South Between Sec. No. 26 & 27
 11.52 a W. Oak 36 ins. dia - level land
 23.75 a point between two small water courses bears E.
 46.00 a poplar 20 ins. dia. level land
 77.00 a point between two small water courses bears E.
 80.00 a post corner of Sec. (No. 26. 27. 34 & 35, from which a Gum 10 ins. dia. bears N 35 W 10 lbs. dis. & a Hickory 5 ins. dia. bears S 37 E 11 lbs. dis. This mile level land 3rd rate strong clay soil, too wet for farming, generally White Oak timber, some Poplar, Hickory &c. & much covered with Green briars

South Between Sec. (No. 34 & 35)
 6.7 a White Oak 26 ins. dia - level land
 140.8 a Black Oak 20
 50.39 a Swamp White Oak 20 ins. dia. level land
 60.62 a White Oak 20 ins. dia. level land
 79.92 Intersected the line ran East from corner of Sec. (No. 39 & 33) Down 11 & corner of Sec. (No. 44 & 5) Down 3 Range 3, 5.04 Mrs. West of the measure on said line, here fixed a post corner of Sec. (No. 34 & 35. from which a (Maple) 14 ins. dia. bears N 40 E 61 lbs. dis. & a White Oak 8 S 33 W 34 lbs. dis. This mile one uniform flat of wet clay land proper for meadow or pasture, but too wet for small grain, timber generally Oak (Maple, Sweet or Red Gum, Poplar Birch, Hickory &c. but little under brush except green briars - Marked the trees by the plan

S. H. R. & W. 1st Mer.

West Between Sec. (no. 20 & 21)

- 26.51 a Hickory 24 ins. dia. level wet land
 41.60 a Hickory 17 ins. dia. level wet land, many green briars & Whortleberry bushes
 47.6 a gutter bears S. W. but little water
 50.00 a post corner of Sec. (no. 21. 22. 27 & 28 from which a Black Oak 14 ins. dia. bears N 3 1/2° W 95 lbs. dig. & a White Oak 8 ins. dia. bears S 50° E 6 1/2 lbs. dig. This mile one flat of level wet land Brate. clay soil. Timber Oak, Hickory, Sweet Gum, Poplar, Maple Green briars & Hackberry bushes

West Between Sec. (no. 21 & 28)

- 16.00 Top of a ridge ascending to Bear creek
 26.00 South Branch of Bear creek 80 lbs. wide, bears North, a rapid stream & stony channel
 32.00 Top of a high steep ridge rising from the creek
 37.00 a stream 10 lbs. wide bears North very rapid
 47.85 a White Oak a ridge rising from the stream
 72.45 Intersected the line ran South from corner of Sec. (no. 8. 9. 16 & 17, 2.24 lbs. North of the measure here fixed a post from which a White Oak 28 ins. dia. bears N 58° E 12 lbs. dis. Va. "
 " 8 " " " S 83 1/2° W 49 " "
 This mile exceedingly broken, Timber Oak, Peach, Hickory, Sugar tree &c. much covered with saplings & green briars
 I marked the trees by the plan.

West Between Sec. (no. 20 & 29)

- 4.52 a Poplar 14 ins. dia, near a gutter
 23.50 the junction of two small streams that run S. East, but little water
 42.73 a Poplar 30 ins. dia, high level land

80.00 a post, corner of Sect. (No. 19. 20. 29 & 30 from which a Maple 8 ins. dia. bears S 37: 17 1/2 lbs. dis. & a Gum 10 ins. dia. bears S 32 1/2 E 32 lbs. dis. This mile to the junction of the 2nd water course broken, from thence high level land good 3rd rate, Timber Oak, Poplar, Gum, Buck, Sugar tree & many green briars

West Between Sect. (No. 19 & 30
2.80 a Gum 18 ins. dia, level land
10.00 a Buck 16
16.84 Indian Boundary, here fixed a post between Sect. (No. 19 & 30 from which a Maple 7 ins. dia. bears S 17: E 23 1/2 lbs. dis. & a Dogwood 7
.. S 24 W 15 lbs. dis. The soil & timber the same as the preceding mile marked the trees by the plan

South Between Sect. (No. 28 & 29
5.21 a Hickory 18 ins. dia. on St. of a ridge
14.50 a Stream 25 lbs. wide bears E. but little water
27.85 a White Oak 30 ins. dia. on a high ridge
36.60 a Stream 10 lbs. wide bears N. East
57.18 a Buck 20 ins. dia — level land
72.00 a Stream 8 lbs. wide bears N. East
80.00 South side of a Poplar 40 ins. dia. corner of Sect. No. 28. 29. 32 & 33 This mile 3rd rate land, much broken, all ridges & deep gutters, Timber Oak, Poplar, Buck, Sugar tree, Hickory & Gum some Spice & many green briars

South Between Sect. (No. 32 & 33
2.56 a Buck 18 ins. dia
29.3 a White Oak 50 ins. dia, on a ridge
36.00 a Stream 12 lbs. wide, bears E. but little water
59.00 a White Oak 26 ins. dia. level wet land

S. 4 R. 3 W. 1st Mer.

78.21 a Gum tree 15 ins. dia, level wet land
 80.46 Intersected the line between Towns 3 & 4
 Range 3, 10 Mts. West of the post set between
 Sec. No. 4 & 5 Town. This mile good 3rd rate
 land, moderate ridges & some wet clay soil,
 proper for meadow & pasture, Timber Ash,
 Oak, Hickory, Beech, Maple, Sugar tree, Gum &c
 Some Spice & an abundance of green briars
 Marked the trees by the plan
 February 19th 1881

The Meanders of Lougherry Creek in
 Township No. 4 Range No. 3 W. of Mer.
 Commenced where the line between Sec. No.
 5 & 32 Towns 4 & 5 R. 3. W. intersects the
 creek

S 17 E	2.00	
S 15 W	7.00	
S 29 1/2 W	4.00	a rich bottom on the W. side
S 30 1/4 W	14.00	To the S. East bank
S 36 1/2 W	8.30	To the boundary line
Began at the boundary from thence		
S 86 E	7.00	a rapid current, water sufficient for a Mill
N 71 1/2 E	12.00	a good bottom
N 42 1/4 E	16.00	
N 27 1/4 E	8.00	
N 5 W	11.00	the lower end of the rapid
N 18 E	2.00	
N 57 1/2 E	4.00	
N 53 E	3.50	
N 33 1/2 E	7.00	
N 62 1/4 E	9.00	
S 80 E	4.50	
N 62 1/2 E	7.00	
N 85 E	12.00	2.41 Mts. the line between sections No. 4 & 5, 4 th Township 3 rd Range West, a

S. H. R. 3 W. 1. Mer.

large rich bottom on the S. West side & a
high steep hill on the N. East

S 43 E	7.00	
S 17 1/4 E	6.00	the head of an Island
S 3 W	9.50	
S 34 1/4 W	5.00	^{C. L.} 7.5 the lower end of the Island
S 42 1/2 W	36.00	^{C. L.} 14 50 the line between Sec. 4 & 5 - 11 & 12. 3. R.
S 3 W	10.00	^{C. L.} 25 begins an Island, E end of Do.
S 10 W	18.50	
S 9 E	13.00	East of the creek a rich low bottom & on the West very high & broken, the stream gentle, the current scarcely to be observed
S 18 E	10.50	
S 27 1/2 E	14.50	
S 40 1/2 E	5.00	
S 65 E	6.00	
S 85 1/2 E	10.50	^{C. L.} 2. 25 the line between Sec. 1. (No. 8 & 9 Town 4 Range 3 West ^{C. L.} 8.50 the mouth of a creek 150 yds. wide & a little above the mouth water sufficient for an overshoot mill, enters North on the South side
S 61 1/2 E	12.00	
N 43 1/2 E	16.50	Down the creek, the current rapid & fine build- -ing stone in abundance on the S. bank
N 69 E	5.00	
N 56 1/2 E	8.50	
N 59 1/4 -	8.00	
N 82 E	10.50	On the S. W. side of a rich bottom, a water course enters on the N. side 40 yds. wide, no water
N 49 1/2 E	9.00	appears to be a situation for a mill on S. side
N 48 E	11.50	
N 52 E	13.00	
N 83 1/2 E	3.50	
N 60 E	8.00	
N 37 W	5.50	the head of an Island
N 10 1/2 E	13.50	
N 36 1/2 E	11.50	
N 76 1/2 E	8.00	Thursday November 13 th 1800

S. 4 R. 3 W. 1st Mer

East	2.75	
N 30 E	27.10	at 19 a Water course 20 hrs. wide on the N. side, no water here, fine building stone on the S.E. side & bottom on the N. West
N 17 1/2 E	4.50	
N 24 E	10.00	
N 9 E	8.00	a rapid current for 30 hrs. above, gentle below
N 12 E	4.50	
N 17 1/2 E	5.00	
N 40 1/2 E	11.50	at 5 a Water course on the N. side 30 hrs. wide, no water
N 70 1/2 E	14.00	at 12.19 the line between Sec. No. 2 & 3 S. 4 R. 3 West, here I conceive a Mill might be built on the 3 rd Section to great advantage the stream being handsome & convenient, the fall from 6 to 8 feet
S 8 1/2 W	5.00	
S 44 E	10.00	
S 63 E	3.50	
S 71 1/2 E	22.00	a dry water course gutters on S. side 20 hrs. wide
N 31 E	9.00	
N 9 1/2 E	7.00	
N 3 1/2 W	15.00	
N 2 E	18.00	
N 13 1/2 E	6.50	
N 69 E	3.50	
N 48 E	3.00	
S 80 E	8.00	
S 60 E	7.50	
S 24 1/2 E	5.00	November 14 th 1800
S 5 W	5.50	
S 38 1/2 W	13.00	
S 7 E	5.00	
S 9 1/2 E	6.50	in the face of the West bank a small appearance of Bog ore
S 33 E	3.00	

S. 4 R. 3 W. 1st Mer.

S 62 $\frac{1}{2}$ E	2.25	
S 86 $\frac{1}{2}$ E	8.00	
S 65 E	6.00	
S 47 E	9.50	
N 86 E	8.50	Rapid water at bottom on the West side hill on the East side with fine building stone
N 37 $\frac{1}{2}$ E	8.50	
North	13.00	
N 9 $\frac{1}{2}$ E	12.00	
N 7 $\frac{1}{2}$ E	6.00	
N 9 $\frac{1}{2}$ W	5.00	
N 38 $\frac{1}{4}$ W	8.50	
N 33 E	17.75	The line between Towns 4 & 5, 3 ^d R. & 4 th R. 1836 commenced where the creek crosses the line again
S 76 $\frac{1}{2}$ E	4.50	
S 64 E	7.00	
S 61 E	5.00	
S 55 $\frac{1}{2}$ E	4.50	
S 77 $\frac{1}{2}$ E	4.00	
N 88 $\frac{1}{2}$ E	5.00	
N 65 E	2.50	a gutter on S. side, the upper end of a rapids
N 36 $\frac{3}{4}$ E	4.00	
N 9 E	2.40	
N 10 W	7.50	
N 23 $\frac{1}{2}$ W	6.50	at ^{c. l.} 1.8 to the above mentioned line & same sections, at the beginning of the course the current gentle,

Surveyed by
Benjamin Chamberlayne D.S.
A.D. 1800

Subdivisions of 2 nd tier blocks	
West	On Random between Sec. No. 25 & 36
2.80	a. 1 st block to the main runs North
40.00	1 st temp. 1 st sec. part on E. bank of a small brook runs North
80.00	1 st temp. 1 st sec. part - Level White Oak land,

D. J. R. B. W. 1st Mer.

2nd date rather with abundance of green briars
 West Continued West
 110.00 Set the temp. $\frac{1}{4}$ sec. post. Monday 10th June 1805
 76.43 Fell 3.52 Mr. N. of post. Soil & timber as above

East Connected between Sec. (No. 26 & 35) & set $\frac{1}{4}$ sec. post
 at the average distance on true line
 Connected between Sec. (No. 25 & 36) & set the $\frac{1}{4}$ sec.
 post at the average distance on the true line

North On Random line between Sec. No. 35 & 36
 4.00 a 1 Brook 6 lbs. wide bears N. W
 25.00 Same brook bears N. crossing it 3 times
 33.00 " " " N.
 39.00 a creek 15 lbs. wide, bears N. East
 40.00 Set the temp. $\frac{1}{4}$ sec. post
 56.30 a 1 Brook 5 lbs. wide, bears East
 81.87 To the E. & W. line

North Continued North between Sec. (No. 25 & 26)
 40.00 Set the temp. $\frac{1}{4}$ sec. post
 46.00 a 1 Brook 5 lbs. wide bears East
 80.25 Fell 13.20 lbs E. of post. 2nd date land, moderate
 ridges in the last mile, W & R Oak, Hickory, Birch
 Poplar, Dogwood & green briar

South Connected between Sec. (No. 25 & 26) & set $\frac{1}{4}$ sec. post at
 average distance on true line from which a Hickory 6
 ins. dia. bears S 50° E 18 lbs. dis. & a W. Oak 6 ins. dia. bears
 N 58° W 25 lbs. dis.
 Continued South & fell 116 lbs. W. of temp. post.
 moved it to centre cor. to Sec. (No. 25, 26, 35 & 36) from
 which a Poplar 9 ins. dia. bears N 52° W 14 lbs. dis. &
 a Dogwood 5 ins. dia. bears S 33° E 28 lbs. dis.

West Traveled W. between Sec. (No. 26 & 35) & set $\frac{1}{4}$ sec. post

S. 4. R. 3. W. 1. Mer.

at average distance on true line from which a Poplar
7 ins. dia. bears N 61 E 2.3 hrs. dis. & a Dog at tree 5 ins.
dia. bears S 30 W 3.2 hrs. dis.

East Traveled E. between Sec. No. 25 & 36 & set $\frac{1}{4}$ sec. post
at average dis. from which a W. Oak 12 ins. dia. bears S 23 W
1.4 hrs. dis. & an Elm 5 ins. dia. bears N 62 E 11 hrs. dis

South Continued S. from centre post & set $\frac{1}{4}$ sec. post at
average dis. from which a W. Oak 8 ins. dia. bears N 71 W 24
hrs. dis. & a W. Oak 12 ins. dia. bears N 78 E 26 hrs. dis.
Continue to cor. of Sec. 35 & 36 Tuesday June 11th 1805

West On Random line between Sec. No. 27 & 34
40.00 Set the temp. $\frac{1}{4}$ sec. post
65.25 a stream 20 hrs. wide, runs North
80.00 Set the temp. centre post, 2 date land, very level,
Oak, Poplar, Buck & Michigan saplings & G. briars

West Continued West between Sec. No. 28 & 35
111.50 a stream 20 hrs. wide runs North
24.42 a Brook 8 hrs. wide runs N. East
40.00 Set the temp. $\frac{1}{4}$ sec. post
74.24 a Brook 6 hrs. wide runs North
76.10 fell 18 hrs. S. of cor. (a Poplar) this mile same as above

East Corrected line between Sec. No. 28 & 33
Set temp. $\frac{1}{4}$ sec. post on true line at average distance
Corrected between Sec. No. 27 & 34 & set $\frac{1}{4}$ sec.
post at average distance on true line

South On Random line between Sec. No. 27 & 28
32.50 a Creek 50 hrs. wide, runs N West
40.00 Set temp. $\frac{1}{4}$ sec. post
44.00 same creek runs N. East
81.90 Co the E & W. line, much broken, large ridges, Oak,

S. L. R. 3. W. 1. Mer.

Nichong, Sugar, Poplar & Buck - Dog wood, Spice & green briars - Drake land.

South Continued between Sect. (No. 33 & 34
40.00 Set the temp. $\frac{1}{4}$ sec. post
58.50 a Buck 8 ins. wide, runs N. W.
81.60 fell 6.95 lbs. W. of post - Level Drake land,
large Oaks, Poplar, Beech, Gum, Sugar, Nichong
Dogwood, Spice & green briars
(Wednesday June 12th 1805

North Corrected between feet. (No. 33 & 34 & set $\frac{1}{4}$ sec. post
on true line at average distance from which
a Buck 20 ins. dia. bears N 19 E 6 lbs. dis. & a
Poplar 40 " " " N 25 W 75 " .

North Continued north on true line & fell 117 lbs
West of temp. post, moved it to centre cor. of
feet. (No. 27. 28. 33 & 34 from which a W. Oak 16
ins. dia. bears S 53 W 17 lbs. dis. & a Maple 6 ins.
dia. bears S 53 E 36 lbs. dis.

East Traveled East & set $\frac{1}{4}$ sec. post at average dis.
from which a Maple 8 ins. dia. bears N 18 W 9 lbs.
dis. & a Gum 4 ins. dia. bears N 73 E 19 lbs. dis.

West Traveled West between Sect. (No. 28 & 33) at
 $\frac{1}{4}$ sec. post at average distance from which a
Nichong 12 ins. dia. bears N 15 E 6 lbs. dis. & a
Sugar 11 " " " S 11 E 49 lbs. dis.

North Continued north on true line & set $\frac{1}{4}$ sec. post
at average distance from which a Nichong 6 ins. dia.
bears N 54 $\frac{1}{2}$ W 17 lbs. dis. & a Pinewood 6 " "
" S 44 E 6 lbs. dis. thence to corner of feet.
No. 21. 22. 27 & 28

West On true line between Sect. No. 29 & 32

11.00 a Brook 8 lbs. wide runs N.E.

40.00 Set the temp. $\frac{1}{4}$ sec. post

50.00 Set temp. centre post

South On Random line between Sect. No. 29 & 30

40.00 Set temp. $\frac{1}{4}$ sec. post

62.00 a Brook 8 lbs. wide runs East

80.00 $\frac{1}{2}$ E & W. line

South Continued South

40.00 Set the temp. $\frac{1}{4}$ sec. post

50.00 a Brook 11 lbs. wide runs S.W.

60.00 a " 5 " " " S.W.

80.00 a creek 50 lbs. wide runs East - 90 lbs. East a
brook 10 enters

81.50 Fell 48 lbs. W. of post - The 1st mile $\frac{1}{4}$ & $\frac{3}{4}$ of the
D^{ist} is pretty good, the last $\frac{1}{4}$ ridge - good
D^{ist} note land, Poplar, Oak, Beech, Sugar, Maple
& Spruce - Thursday June 13th 1885

North Corrected between Sect. No. 31 & 32 & set $\frac{1}{4}$ sec.
post at average distance from which a W. Oak 24
ins. dia. bears N 73° W 40 lbs. dis. & a W. Oak 22 ins.
dia. bears S 8° E 12 lbs. dis.

Continued North & fell 58 lbs. & set off temp. centre
post, moved it to centre corner of Sect. No. 29, 30, 31.

& 32 from which a Beech 14 ins. dia. bears N 41° E 17
lbs. dis. & a Do. 9 ins. dia. bears S 21° W 31 lbs. dis

East Thence East between Sect. No. 29 & 32 & set $\frac{1}{4}$ sec.
post at average distance from which a Beech 14 ins.
dia. bears N 10° E 36 lbs. dis. & a Beech 4 ins. dia. bears
S 49° W 17 lbs. dis.

Then returned & proceeded to the Boundary

T4. R. 3 W. 1. Mer

30.49 Intersected the Boundary at a Beech 14 ins. dia.
from which a Hickory 15 ins. dia. bears S 69° E
23 lbs. dis. & — This fraction very level, good
D. note land, Poplar, Beech, Oak, Hickory, Sugar
but little brush

Returned to centre post & run N. on true line
Set 1/4 sec. post at average distance from which
a Hickory 8 ins. dia. bears N 52° E 12 lbs. dis. &
a Poplar 14 " " " S 60° W 40 " "
Continued to corner of Sec. No. 19. 20. 29 & 30

North On true line between Sec. No. 19 & 20

18.00 a Brook 5 lbs. wide, runs N. E. from thence over
a number of ridges

40.00 Set temp. 1/4 sec. post, then it rained hard &
returned to camp, a B. Oak 13 ins. dia. bears
S 57° E 17 lbs. dis. & a Hickory 5 ins. dia. bears S 76° W
21 lbs. distant.

West Run & blazed this line between Sec. 17, 18, 19 & 20

40.00 Set the temp. 1/4 sec. post

63.00 a Brook 8 lbs. wide runs N. W.

67.00 a Stream 15 " " " N.

80.00 Set temp. centre post

West Continued West

12.27 1/2 Boundary line at a Sugar 10 ins. dia. — from
which a W. Oak 5 ins. dia. bears S 2° W 18 lbs. dis.
This mile one continuation of ridges, Oak, Sugar,
Buck &c. Green Briers &c.

N. B. on the E. side of cor. a Brook 20. South

North Continued from 1/4 sec. post between Sec. No.
19 and 20.

43.50 a Brook 8 lbs. wide runs N. E

79.80 S. E. & W. line 1.96 lbs. West of temp. post

moved it to centre from which an Elm 5 ins. dia. bears N 18 E 9 lbs. dis. & an Elm 4 ins. dia. bears S 28 E 20 lbs. dis. Ridges & gutters - Sapling & Spice brush

North Between Sec. (No. 17 & 18

15.10 a Brook 10 lbs. wide runs N. E.
20.00 a creek 20 lbs. wide, East } rapid & beautiful
20.50 a " 30 " " E. }
40.00 Set $\frac{1}{4}$ sec. post from which a W. Walnut 9 ins. dia. bears S 58 W 25 lbs. dis. & a Sugar 6 ins. dia. bears N 43 E 37 lbs. dis.
75.80 To Boundary - Saturday June 15th 1805

East On Random between Sec. (No. 16 & 21

16.00 a creek 30 lbs. wide, runs N. gentle current
33.75 bottom of a deep gutter between two high ridges, comes forth
40.00 Set the temp. $\frac{1}{4}$ sec. post
66.00 a Bear Wallow 100 lbs. wide
80.00 Set temp. centre post

East Between Sec. (No. 15 & 22

40.00 Set temp. $\frac{1}{4}$ sec. post
80.56 Set 12 lbs. South of post - there two miles, moderate ridges - Oak, Ash, Beech, Sugar, Dogwood & green briars, in the last mile several small water courses but no water N. & N. E. (Mk. for N)

North On Random between Sec. (No. 21 & 22

4.00 a Brook 6 lbs. wide, runs West
29.36 a " 12 " " " W. handsome current
40.00 Set the $\frac{1}{4}$ sec. post
80.04 To E & W line, moderate ridges, Oak, Poplar, Beech, Gum, brush &c. D. rate land

S. 4 R. 3 W. 1. 1st Mer

North Continued North Between Sec. No. 15 & 16
 1.16 a Brook 6 lbs. wide runs East
 10.75 a Spring branch 7 lbs. wide runs East
 40.00 Set temp. $\frac{1}{4}$ sec. post from the last mentioned
 Spring, there are two or three others
 45.00 a Brook 6 lbs. wide runs N.E.
 80.24 Fell 108 lbs. West of post corner to Sec. 9. 10. 15 & 16

South Located between Sec. No. 15 & 16 & set $\frac{1}{4}$ sec. post
 at average distance from which a Buck 12 ins. dia.
 bears $N 78^{\circ} W 30$ lbs. dis. & a W. Oak 20 ins. dia. bears
 $S 57^{\circ} E 38$ lbs. dis.
 Continued to centre post & fell 438 lbs. West of
 temp. post, moved it to centre corner of Sec. 15.
 from which a Poplar 12 ins. dia. bears $N 56^{\circ} E$
 30 lbs. dis & a Dogwood 4 ins. dia. bears $N 12^{\circ} W 7$ lbs.

Thence West between Sec. No. 16 & 21 & set
 $\frac{1}{4}$ sec. post at average distance from which a
 Sugar 8 ins. dia. bears $N 1^{\circ} W 47$ lbs. dis & a Sugar
 9 ins. dia. bears $S 40^{\circ} E 11$ lbs. dis

Thence East between Sec. No. 15 & 22 & set $\frac{1}{4}$
 sec. post at average distance from which a Buck
 14 ins. dia. bears $N 14^{\circ} E 21$ lbs. & a Hickory 26
 ins. dia. bears $S 18^{\circ} W 19$ lbs. dis.

Returned to centre & continued South on true
 line, set $\frac{1}{4}$ sec. post at average distance, from
 which a W. Oak 18 ins. dia. bears $N 66^{\circ} W 17$ lbs.
 dis. & a Hickory 6 " " " $S 57^{\circ} E 12$ lbs. dis.
 proceeded to corner of Sec. No. 21. 22. 27 & 28
 Monday June 17th 1805

West On Random between Sec. No. 13 & 24
 5.50 a Water course 10 lbs. wide runs N. (no water)

7.00 a part of same 12 hrs. wide, runs North
 19.26 a Brook 12 hrs. wide, runs N. East
 40.00 Set temp. $\frac{1}{4}$ sec. post
 80.00 Set temp. mile post, all ridges 3rd rate land.
 Oak, ash, Maple, Hickory & green briars

Continued West on Random

10.50 a Brook 11 hrs. wide runs N.
 40.00 Set $\frac{1}{4}$ sec. post
 78.16 fell 375 hrs. N. of corner of Sec. (No. 14, 15, 22 & 23)
 23. — Good 2nd rate land — moderate ridges — Oak,
 Brook, Poplar, Maple — brush, G. & briars &c

East Connected between Sec. (No. 14 & 23)
 Set $\frac{1}{4}$ sec. post at average distance
 Connected between Sec. (No. 13 & 24) & set $\frac{1}{4}$ sec.
 post at average distance on true line
 Continued to corner of Sec. (No. 13 & 24)

North On Random between Sec. (No. 23 & 24)
 9.50 a Brook 25 hrs. wide, runs N. E.
 27.50 a deep gutter — East — (no water)
 40.00 Set temp. $\frac{1}{4}$ sec. post
 80.50 To E & W line — 3rd rate land, much brush,
 Poplar, Oak, Beech, Maple, Gum &c.

Continued North Between Sec. (No. 13 & 14)
 40.00 Set $\frac{1}{4}$ sec. post
 140.08 a Brook 10 hrs. wide, runs East
 81.15 fell 14 hrs. East of post, level 3rd rate, Poplar,
 Oak, Beech, Dogwood, Ironwood & briars

South Connected between Sec. (No. 13 & 14)
 Set $\frac{1}{4}$ sec. post at average distance on true line,
 from which a Sugar 16 ins. dia. bears $\overline{61}$ E 17 hrs.
 dis. & a Do. 8 ins. dia. bears N $\overline{83}$ W 4 $\frac{1}{2}$ hrs. dis.

J. L. R. 3rd W. 1st Mer.

South Continued South & fell 40 7 lbs. West of post
 moved it to centre corner of Sec. No. 13. 14. 23 &
 24 - from which a Hickory 6 ins. dia. bears
 N 32 E 17 lbs. dis. & a W. Oak 11
 S 45 W 46 lbs. dis.

East Traveled East between Sec. No. 13 & 24 & set $\frac{1}{4}$ sec.
 post at average distance from which a Sugar 6 ins.
 dia. bears S 7 W 17 lbs. dis. & a Sugar 7 ins. dia. bearing
 S 4 W 23 lbs. dis.

West Traveled West between Sec. No. 14 & 23 & set
 $\frac{1}{4}$ sec. post at average distance from which a W. Oak
 20 ins. dia. bears N 9 E 37 lbs. dis. & a Poplar 6 ins.
 dia. bears N 18 W 27 lbs. dis.
 Continued on true line to corner of Sec. No.
 23. 24. 25 & 26.

East On Random between Sec. No. 24 & 11

10.00 a Brook 12 lbs. wide runs N. E.

13.00 a Do. 10 " " " N. E.

15.38 a Do. 8 " " " North

40.00 Set temp. $\frac{1}{4}$ sec. post

40.30 a Brook 13 lbs. wide runs N.

69.04 a " 11 " " " N.

80.00 Set temp. centre post - first 20 lbs. level, the
 Remainder most tremendous hills & low land,
 I Buck Oak, Hickory, Sugar, Dogwood &c

East Continued East between Sec. No. 17 & 22

9.19 a creek 30 lbs. wide runs N.

33.45 a Brook 12 " " " N. E.

40.00 Set temp. $\frac{1}{4}$ sec. post

73.90 a Brook 15 lbs. wide runs N. E.

79.95 Fell 8.86 lbs. South of post, 2nd rate land, very
 shilly Simlar as above

S. H. R. 3 M. 1. Mor.

West Corrected between Sec. (No. 1 & 12) Set $\frac{1}{4}$ sec. post
on true line at average distance

Corrected between Sec. (No. 10 & 11) Set $\frac{1}{4}$ sec.
post at average distance
Continued to corner of Sec. (No. 2, 3, 10 & 11)

South On Random between Sec. (No. 1 & 12)
3.67 a Brook 10 Mts. wide, runs East
40.00 Set temp. $\frac{1}{4}$ sec. post
54.00 a branch Longherry creek 170 Mts. wide S. E
59.18 Longherry creek 180 Mts. wide runs S. E.
64.50 a branch of Do 40 " " " S. E.
76.90 $\frac{1}{2}$ E & W. line - first 20 chs broken, the next
45 chs. through bottom, the balance a very steep
hill 2^d rate. Buck, Ash, Oak, Sugar, Lym &c.
Spice & a variety of other bush

South Continued South between Sec. (No. 11 & 12)
12.00 a Brook 20 Mts. wide runs N. E.
40.00 Set temp. $\frac{1}{4}$ sec. post
75.02 fell 30 Mts. East of post corner of Sec. (No. 11.
12, 13 & 14, 3^d rate land pretty level, Oak, Gum,
Buck, Saplings & green briars.

Friday June 19th 1805

North Corrected between Sec. (No. 11 & 12)
Set $\frac{1}{4}$ sec. post on true line from which a Brook 14
ins. dia. bears N 60 E 18 Mts. dis. & a Dogwood 5 ins.
dia. bears S 53 W 15 Mts. dis.
Continued on true line & fell 300 Mts. W. of temp.
post, moved it to centre from which an Ash 14
ins. dia. bears S 7 E 28 Mts. dis. & an Elm 6 ins. dia. bears
N 22 W 25 Mts. dis.

J. L. R. 3 W. 1st Mer.

East Thence East between Sec. (No. 1412) & set
 1/4 sec. post at average distance from which a
 Hickory 5 ins. diam. bears N 30° W 17 lrs. dis. & a
 B. Oak 12 " " " S 37° E 11 " "

West Thence West between Sec. (No. 29114) & moved
 1/4 sec. post to average distance from which an
 Elm 12 ins. diam. bears S 58° E 16 lrs. dis. & a Poplar
 8 ins. diam. bears N 56° W 30 lrs. dis.

North Thence North on true line between Sec. (No. 1412)
 & set 1/4 sec. post at average distance from which a
 Buck 16 ins. diam. bears N 47° W 24 lrs. dis. & a
 Buck 24 " " " S 54° E 38 " "
 Continued to corner of Sec. (No. 1412)

West On Random between Sec. (No. 3010)
 22.85 a Brook 6 lrs. wide runs N. E
 33.00 Longhorns' creek 200 lrs. wide, runs N. E
 40.00 Set temp. 1/4 sec. post
 65.00 a creek 30 lrs. wide runs S 75° E
 69.00 a do 30 " " " S 75° E
 80.00 Set temp. centre post, generally level, Buck,
 Sugar, Ash, Oak, ~~Cash~~ Ve., Spice & Pawpaw

Continued between Sec. (No. 449)
 40.00 Set temp. 1/4 sec. post
 58.50 a beautiful spring 50 lrs. South of the line, in
 a very rich bottom
 79.00 Hill 84 lrs. North of post corner of Sec. (No. 4.
 5.849, most all 1st rate bottom, the timber as
 above with fine Walnut, Spice, &c

East Connected between Sec. (No. 449) and set 1/4 sec.
 post at average distance
 Connected between Sec. (No. 3010) and set

S. L. P. 3 W. 1. 1st Mer.

$\frac{1}{4}$ sec. post at average distance

South On Random between Sect. (No. 3 & 4

40.00 set temp. $\frac{1}{4}$ sec. post

75.24 a creek 60 lbs. wide runs South

79.50 S & E W. line. Route very hilly - Hickory
Oak Wood.

Continued Random between Sect. No. 9 & 10

40.00 set temp. $\frac{1}{4}$ sec. post

41.30 Loughery creek 3.70 lbs. wide, runs St. East

57.18 a Brook 10 lbs. wide runs St & E

72.80 Fall 1.0 b lbs. East of corner of Sect. (No. 9. 10. 15 & 16
Drake land, hilly. Timber as above

North Connected between Sect. (No. 9 & 10 and set $\frac{1}{4}$ sec. post
on true line at average distance from which an Ash
18 ins. dia. bears N 6 E 39 lbs. dis. & a Beech 12 ins. dia.
bears N 77.50 W 23 lbs. dis.

Continued North & fell 10.2 lbs. W. of temp. centre
post, moved it to centre corner of Sect. No. 3. 4. 9 & 10
from which a Hickory 14 ins. dia. bears N 62 W 31 lbs.
dis. & a Poplar 10 ins. dia. bears S 20 E 21 lbs. dis.

West Thence West between Sect. (No. 4 & 9 and moved $\frac{1}{4}$
sec. post to average distance from which a Hickory 14
ins. dia. bears N 34 W 49 lbs. dis.

East Thence East between Sect. (No. 3 & 10 and moved
 $\frac{1}{4}$ sec. post to average distance from which a Hackberry
18 ins. dia. bears N 15 E 37 lbs. dis. & a Do. 22 ins. dia.
bears S 3 E 13 lbs. dis.

North Thence North between Sect. (No. 3 & 4 and set
 $\frac{1}{4}$ sec. post at average distance from which a Sugar
10 ins. dia. bears N 13 E 22 lbs. dis. & a Sugar tree 4 ins.

T. 4 R. 3 W. 1st Mer.

diw. bears N 58 E 21 Mts. dis.

Continued to corner of Sec. (No. 3 & 4)

- West Hearing no post to run to I proceeded to run corner of Sec. (No. 4. 5. 8 & 9) & blazed line
- 16.10 Longhorn's creek 200 Mts. wide, runs S 75 E
- 40.00 Set 1st sec. post from which a Sugar tree 6 ins. diw. bears S 70 E 28 Mts. dis. & a Sugar tree 3 "
- " " N 62 W 6 " "
- 70.54 Intersection the Indian boundary line, where a W. Oak 12 ins. diw. bears S 11 5 E 8 Mts. dis. & a Sugar tree 5 " " " N 36 W 6 " "

Monday June 29th 1805

Surveyed by
Benj. Chambers J. S.

I certify that the foregoing Transcript of the Field notes of Township No. 4 Range No. 3 West of the 1st Mer. has been compared with the original in this Office and found to be correct

Surveyor General's Office

Cincinnati, Feb. 10. 1845

E. S. G. Jones
S. J. G. Jones